ELSEVIER

Engineering Geology 63 (2002) 351

ENGINEERING GEOLOGY

www.elsevier.com/locate/enggeo

# Author Index Volume 63

Aydin, A., 99

Bagde, M.N., 141
Bell, F.G., 49
Bhering, E., 1
Bommer, J.J., 189

Calijuri, M.L., 1
Chakraborty, A.K., 141

Dalgıç, S., 69
Deng, M., 17
Donati, L., 277
Duzgoren-Aydin, N.S., 99

Esaki, T., 83

Feda, J., 93
Font, X., 121

Garcia-Vallès, M., 31

Hashizume, K., 39
Hatzor, Y.H., 233

Ichikawa, Y., 259

Jeong, G.C., 259
Jethwa, J.L., 141
Jiang, K., 83

Kahraman, S., 347
Karaogullarindan, T., 247
Kayabali, K., 221
Kim, J.S., 259
Kontogianni, V.A., 333

Lan, X., 17
Legros, F., 301

Maia, F., 1
Malpas, J., 99
Mañá, T., 121
Marques, E.A.G., 1
Matsukura, Y., 39
Meira, A., 1

Nichol, D., 131

Oguchi, C.T., 39
Özgüler, E., 247

Palchik, V., 233
Park, H.D., 291
Pinto, V., 121
Pradell, T., 31

Qian, G., 17

Raina, A.K., 141
Rodríguez, C.E., 189

Salgot, M., 121
Sassa, K., 169
Seo, Y.S., 259
Stiros, S.C., 333

Taga, H., 247
Tang, M., 17
Tapias, J.C., 121
Tsai, H., 157
Turkmen, S., 247
Turrini, M.C., 277

Valls del Barrio, S., 31
Vendrell-Saz, M., 31

Wang, F.W., 169
Wang, G., 169
Wang, J.-A., 291
Wilson, S.A., 131

Xu, Z., 17

ELSEVIER

Engineering Geology 63 (2002) 353–356

ENGINEERING GEOLOGY

www.elsevier.com/locate/enggeo

# Subject Index Volume 63

ACR expansion
Alkali carbonate reaction expansion of dolomitic limestone aggregates with porphyrotopic texture 17
Actual
A comparison of predicted and actual tunnel behaviour in the İstanbul Metro, Turkey 69
Analytical
A comparison of predicted and actual tunnel behaviour in the İstanbul Metro, Turkey 69
Angularity
Notes on the effect of grain crushing on the granular soil behaviour 93
Atterberg limits
The geotechnical properties of some till deposits occurring along the coastal areas of eastern England 49

Bioactivity
The red–orange patina developed on a monumental dolostone 31
Blasted fragments
Rock mass characterization by fractal dimension 141
Bridges
Foundation geology of the River Dee estuary cable-stayed bridge, Flintshire, North Wales 131
Brittle fracture
Crack damage stress as a composite function of porosity and elastic matrix stiffness in dolomites and limestones 233

Case history
Foundation geology of the River Dee estuary cable-stayed bridge, Flintshire, North Wales 131
Central America
Earthquake-induced landslides in Central America 189
Characteristic line
Predictions and observations of convergence in shallow tunnels: case histories in Greece 333
Clay minerals
Re-assessment of chemical weathering indices: case study on pyroclastic rocks of Hong Kong 99
Complete stress–strain process
Fluid permeability of sedimentary rocks in a complete stress–strain process 291
Compressibility
The geotechnical properties of some till deposits occurring along the coastal areas of eastern England 49
Concrete aggregate
Alkali carbonate reaction expansion of dolomitic limestone aggregates with porphyrotopic texture 17
Crack damage stress
Crack damage stress as a composite function of porosity and elastic matrix stiffness in dolomites and limestones 233

3-D
Using 3-D structures and their virtual representation as a tool for restoring opencast mines and quarries 121
Dam
Seepage problems in the karstic limestone foundation of the Kalecik Dam (south Turkey) 247
Debris flow
The mobility of long-runout landslides 301
Digital database
Digital land-use cartography—the example of Viçosa, Brazil 1
Dilation
Crack damage stress as a composite function of porosity and elastic matrix stiffness in dolomites and limestones 233
Direct observation
Microscopic observation and contact stress analysis of granite under compression 259
Distinct element method
Quantitative evaluation of stability changes in historical stone bridges in Kagoshima, Japan, by weathering 83
Dolomite
The red–orange patina developed on a monumental dolostone 31
Dolomitic limestones
Alkali carbonate reaction expansion of dolomitic limestone aggregates with porphyrotopic texture 17

Earthquakes
Earthquake-induced landslides in Central America 189

Empirical
A comparison of predicted and actual tunnel behaviour in the İstanbul Metro, Turkey 69

FEM
Predictions and observations of convergence in shallow tunnels: case histories in Greece 333
Foundations
Foundation geology of the River Dee estuary cable-stayed bridge, Flintshire, North Wales 131
Fractal dimension
Rock mass characterization by fractal dimension 141
Fracture roughness
The effects of fracture roughness on *P*-wave velocity 347

Geochemistry
Re-assessment of chemical weathering indices: case study on pyroclastic rocks of Hong Kong 99
Geodetic observation
Predictions and observations of convergence in shallow tunnels: case histories in Greece 333
GIS methodology
An objective method to rank the importance of the factors predisposing to landslides with the GIS methodology: application to an area of the Apennines (Valnerina; Perugia, Italy) 277
Grain crushing
Notes on the effect of grain crushing on the granular soil behaviour 93
Mechanism of a long-runout landslide triggered by the August 1998 heavy rainfall in Fukushima Prefecture, Japan 169
Granular flow
The mobility of long-runout landslides 301
Ground water flow
Fluid permeability of sedimentary rocks in a complete stress–strain process 291
GSI
Predictions and observations of convergence in shallow tunnels: case histories in Greece 333
Gutenburg–Richter's law
Estimates of earthquake recurrences in the Chiayi–Tainan area, Taiwan 157

Highways
Foundation geology of the River Dee estuary cable-stayed bridge, Flintshire, North Wales 131
Homogenization analysis
Microscopic observation and contact stress analysis of granite under compression 259

Hong Kong
Re-assessment of chemical weathering indices: case study on pyroclastic rocks of Hong Kong 99
Hydraulic conductivity
Fluid permeability of sedimentary rocks in a complete stress–strain process 291

Image analysis
Rock mass characterization by fractal dimension 141
Isoacceleration map
Modeling of seismic hazard for Turkey using the recent neotectonic data 221

Kalecik
Seepage problems in the karstic limestone foundation of the Kalecik Dam (south Turkey) 247
Karst problems
Seepage problems in the karstic limestone foundation of the Kalecik Dam (south Turkey) 247

Landslide
The mobility of long-runout landslides 301
Landslide hazard
An objective method to rank the importance of the factors predisposing to landslides with the GIS methodology: application to an area of the Apennines (Valnerina; Perugia, Italy) 277
Landslide hazard assessment
Earthquake-induced landslides in Central America 189
Landslide predisposing factors
An objective method to rank the importance of the factors predisposing to landslides with the GIS methodology: application to an area of the Apennines (Valnerina; Perugia, Italy) 277
Landslides
Earthquake-induced landslides in Central America 189
Land-use mapping
Digital land-use cartography—the example of Viçosa, Brazil 1
Lodgement till
The geotechnical properties of some till deposits occurring along the coastal areas of eastern England 49
Long-runout landslide
Mechanism of a long-runout landslide triggered by the August 1998 heavy rainfall in Fukushima Prefecture, Japan 169

Markov chain
Estimates of earthquake recurrences in the Chiayi–Tainan area, Taiwan 157

Metro
A comparison of predicted and actual tunnel behaviour in the İstanbul Metro, Turkey 69
Microcrack propagation
Microscopic observation and contact stress analysis of granite under compression 259
Microstructure
Effect of microstructure and weathering on the strength anisotropy of porous rhyolite 39
Model experiment
The effects of fracture roughness on *P*-wave velocity 347
Mohr–Coulomb envelope
Notes on the effect of grain crushing on the granular soil behaviour 93
Mössbauer spectroscopy
The red–orange patina developed on a monumental dolostone 31

Oedometric compression
Notes on the effect of grain crushing on the granular soil behaviour 93

Particle size distribution
The geotechnical properties of some till deposits occurring along the coastal areas of eastern England 49
Patina
The red–orange patina developed on a monumental dolostone 31
Permeability
Fluid permeability of sedimentary rocks in a complete stress–strain process 291
Pore pressure
The mobility of long-runout landslides 301
Porosity
Crack damage stress as a composite function of porosity and elastic matrix stiffness in dolomites and limestones 233
Porphyrotopic texture
Alkali carbonate reaction expansion of dolomitic limestone aggregates with porphyrotopic texture 17
Predicted
A comparison of predicted and actual tunnel behaviour in the İstanbul Metro, Turkey 69
Predictions
Predictions and observations of convergence in shallow tunnels: case histories in Greece 333
Probabilistic approach
Modeling of seismic hazard for Turkey using the recent neotectonic data 221
*P*-wave velocity
The effects of fracture roughness on *P*-wave velocity 347
Pyroclastic rocks
Re-assessment of chemical weathering indices: case study on pyroclastic rocks of Hong Kong 99

Quarry
Using 3-D structures and their virtual representation as a tool for restoring opencast mines and quarries 121

Rainfall
Mechanism of a long-runout landslide triggered by the August 1998 heavy rainfall in Fukushima Prefecture, Japan 169
Regression analysis
The effects of fracture roughness on *P*-wave velocity 347
Restoration
Using 3-D structures and their virtual representation as a tool for restoring opencast mines and quarries 121
Return period
Estimates of earthquake recurrences in the Chiayi–Tainan area, Taiwan 157
Modeling of seismic hazard for Turkey using the recent neotectonic data 221
Rhyolite
Effect of microstructure and weathering on the strength anisotropy of porous rhyolite 39
Ring-shear tests
Mechanism of a long-runout landslide triggered by the August 1998 heavy rainfall in Fukushima Prefecture, Japan 169
RMR
A comparison of predicted and actual tunnel behaviour in the İstanbul Metro, Turkey 69
Rock mass characterization by fractal dimension 141
Rock mass
A comparison of predicted and actual tunnel behaviour in the İstanbul Metro, Turkey 69
Rock mass characterization
Rock mass characterization by fractal dimension 141
Rock mass in in situ
Rock mass characterization by fractal dimension 141
Rock weathering
Quantitative evaluation of stability changes in historical stone bridges in Kagoshima, Japan, by weathering 83

Schumann's model
Rock mass characterization by fractal dimension 141

Sedimentary rock
Fluid permeability of sedimentary rocks in a complete stress–strain process 291
Seepage
Seepage problems in the karstic limestone foundation of the Kalecik Dam (south Turkey) 247
Seismic hazard
Modeling of seismic hazard for Turkey using the recent neotectonic data 221
Sesquioxide
Re-assessment of chemical weathering indices: case study on pyroclastic rocks of Hong Kong 99
Shear strength
The geotechnical properties of some till deposits occurring along the coastal areas of eastern England 49
Silica gel
Notes on the effect of grain crushing on the granular soil behaviour 93
Simulation
Using 3-D structures and their virtual representation as a tool for restoring opencast mines and quarries 121
Site investigation
Foundation geology of the River Dee estuary cable-stayed bridge, Flintshire, North Wales 131
Mechanism of a long-runout landslide triggered by the August 1998 heavy rainfall in Fukushima Prefecture, Japan 169
Sliding-surface liquefaction
Mechanism of a long-runout landslide triggered by the August 1998 heavy rainfall in Fukushima Prefecture, Japan 169
Spherical grains
Notes on the effect of grain crushing on the granular soil behaviour 93
Stability
Quantitative evaluation of stability changes in historical stone bridges in Kagoshima, Japan, by weathering 83
Stone bridge
Quantitative evaluation of stability changes in historical stone bridges in Kagoshima, Japan, by weathering 83
Strength anisotropy
Effect of microstructure and weathering on the strength anisotropy of porous rhyolite 39
Substitutability
Estimates of earthquake recurrences in the Chiayi–Tainan area, Taiwan 157

Turkey
Modeling of seismic hazard for Turkey using the recent neotectonic data 221

UCS
Rock mass characterization by fractal dimension 141
Unconfined compressive strength
Effect of microstructure and weathering on the strength anisotropy of porous rhyolite 39
Uniaxial compression
Microscopic observation and contact stress analysis of granite under compression 259
Uniaxial compressive strength
Crack damage stress as a composite function of porosity and elastic matrix stiffness in dolomites and limestones 233
Urban planning
Digital land-use cartography—the example of Viçosa, Brazil 1

Valnerina area (Italy)
An objective method to rank the importance of the factors predisposing to landslides with the GIS methodology: application to an area of the Apennines (Valnerina; Perugia, Italy) 277
Volcanic soils
Earthquake-induced landslides in Central America 189

Weathering
Effect of microstructure and weathering on the strength anisotropy of porous rhyolite 39
Re-assessment of chemical weathering indices: case study on pyroclastic rocks of Hong Kong 99